

MSDS Report MSDS 报告

Applicant's name 委托方名称	DUUX B.V.		
Applicant's Address 委托方地址	P.O. Box 145, 5400 AC, Uden, NL		
Name of Sample 样品名称	RECHARGEABLE LI-ION BATTERY 可充电锂离子电池		
Model 型号	DXCFBP02		
Nominal Voltage 标称电压	7.2V		
Rated Capacity 额定容量	6300mAh, 45.36Wh		
Weight 重量	250.0g		
Size 尺寸 (L×W×T)	(91.5×79.2×22.8)mm		
Prepared By 编制单位	Shenzhen TCT Testing Technology Co., Ltd. 深圳市通测检测技术有限公司 2101 & 2201, Zhenchang Factory, Renshan Industrial Zone, Fuhai Subdistrict, Bao'an District, Shenzhen, Guangdong, China 广东省深圳市宝安区福海街道桥头社区稔山工业区振昌胶粘制品厂 2101、 2201		
Report No. 报告编号	TCT230627M008		
Written by 编写: Spring	Fu 傳稿礼 Approved by 批准:Tomsin 品级数		
hspected by 审核:	My Zang アン Effective Date 生效日期: 2023.07.06 Effective Teer		
eport No.报告编号: TCT2306 <i>This report shall not be repro</i>	27M008 duced except in full, without the written approval of Shenzhen TCT Testing Technology Co., Ltd.		

	G CENTRE TECHNOLOGY Material Safety Data Sheet	
Materia	I Safety Data Sheet 化学品安全技术说明书	
	nical Product & Company Identification	
第一部分 化学品		
Name of Sample 样品名称	RECHARGEABLE LI-ION BATTERY 可充电锂离子电池	
Manufacturer's nai 制造商名称		
Manufacturer's Address <i>制造商地址</i>		
Contact Person 联系人	Mr. Yang 杨先生	
Tel 电话		
Emergency Tel 应急电话		
E-mail 邮箱		
Section 2- Haza 第二部分 危险性	rds Identification +概述	
Classification of Danger 危险性类别		
Primary Route(s) of Exposure 浸入途径	Eye, skin contact, ingestion. 眼睛,皮肤接触,摄入。	
Health Hazard 健康危害	The batteries are not hazardous when used according to the instructions of manufacturer under normal conditions. In case of abuse, there's Hazard of rupture, fire, heat, leakage of internal components, which could cause casualty loss. Abuses including but not limited to the following cases: charged for long time, short circuited put into fire, whacked with hard object, punctured with acute object, crushed, and broken. 正常条件下根据制造商的说明使用电池不会产生危害。使用不当的情况下,有破裂、起火、发烫、内部成分泄漏的危险,并可能造成意外损失。使用不当的行为包括但不限于下列情况:长时间充电、短路、投入火中、硬物撞击、尖物刺破、破碎,和破裂	



Section 3- Composition/Ir 第三部分 成分/组成信息	nformation on Ingredients	
Chemical Name 化学名称	Concentration or concentration ranges (%) 浓度或浓度范围(%)	CAS Number CAS 号(化学文摘索引登记号)
Lithium Cobalt Oxide 钴酸锂	15-40	12190-79-3
Graphite 石墨	10-30	7782-42-5
Phosphate(1-), hexafluoro-, lithium 六氟磷酸锂	10-30	21324-40-3
Copper 铜	7-13	7440-50-8
Aluminum foil 铝箔	5-10	7429-90-5
Nickel 镍	1-5	7440-02-0

Labeling according to EC directives. 标签根据 EC 指令。 No symbol and Hazard phrase are required. 不需要象形符号和危险短语。 Note: CAS number is Chemical Abstract Service Registry Number. 注意: CAS 号是化学文摘服务注册号码。 N/A=Not apply. N / A =不适用。

Section 4- Firs 第四部分 急救	st Aid Measures 效措施
Eye 眼睛	Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid. 万一接触,立即用大量的清水冲洗至少 15 分钟,翻起上下眼睑,直到化学的残留物 消失为止,迅速就医。
Skin 皮肤	Remove contaminated clothes and rinse skin with plenty of water or shower for 15 minutes. Get medical aid. 万一接触,用大量水冲洗至少 15 分钟,同时除去污染的衣物和鞋子,迅速就医。
Inhalation 吸入	Remove from exposure and move to fresh air immediately. Use oxygen if available. 立即从暴露处移至空气清新处,如果呼吸困难给予输氧,立即就医。
Ingestion 食入	Ingesting damaged batteries, do not induce vomiting or give food or drink. Seek medical attention immediately. 食入损坏的电池,不要催吐且不要再吃下食物或喝饮料,立刻就医。

Report No.报告编号: TCT230627M008 Page 3 This report shall not be reproduced except in full, without the written approval of Shenzhen TCT Testing Technology Co., Ltd.

	测检测 CENTRE TECHNOLOGY	Material Safety Data Sheet
Section 5- Fire F 第五部分 消防措	ighting Measures 施	
Characteristics of Hazard <i>危险特性</i>	Dusts at sufficient concentrations can form explosive mixtures with air. Combu generates toxic fumes. 高密度粉尘遇空气会形成爆炸性混合物。燃烧生成有毒烟雾。	
Hazardous Combustion Products 燃烧产生的危险物 品	Carbon dioxide. 二氧化碳。	
Fire-extinguishing Methods and Extinguishing Media 灭火方法及灭火剂	For small fires, use water spray, dry chemical, carbon dioxide or chemical foam. 对于小型火险,可使用水枪,干冰(也就是液态二氧化碳)或化学泡沫。	
Attention in Fire-extinguishing <i>灭火注意事项</i>	 Wear self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. 因为压强关系,要穿戴可呼吸式全身防护装备,MSHA/NIOSH(经认证或等效的)以及佩戴全套防护装置。 	
第六部分 泄露应 Personal Precaution		In case of rupture. Attention! Corrosive material. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Refer to protective measures listed in
		Sections 7 and 8.
equipment, and emo		Sections 7 and 8. 万一破裂。注意!腐蚀性物质。避免接触皮肤,眼睛或 衣服。确保空气流通。根据需要使用个人防护装备。将 人员撤离到安全区域。让人们远离溢出/泄漏处和处于 逆风。参考第七部分和第八部分中列出的防护措施。
	中装备和应急程序	万一破裂。注意!腐蚀性物质。避免接触皮肤,眼睛或 衣服。确保空气流通。根据需要使用个人防护装备。将 人员撤离到安全区域。让人们远离溢出/泄漏处和处于
个人预防措施、防护 Environmental Prec 环境保护措施	中装备和应急程序	万一破裂。注意!腐蚀性物质。避免接触皮肤,眼睛或衣服。确保空气流通。根据需要使用个人防护装备。将人员撤离到安全区域。让人们远离溢出/泄漏处和处于逆风。参考第七部分和第八部分中列出的防护措施。 Prevent product from contaminating soil and from entering sewers or waterways.

	通测检测 TESTING CENTRE TECHNOLOGY	Material Safety Data Sheet
)		water for proper disposal. 用惰性吸收剂(干砂或泥土)吸收溢出的材料。污染物: 移到可接受的废物容器中。收集所有受污染的吸收剂 按照第十三部分的说明进行处理。用洗涤剂和水清洁: 染区域,收集所有受污染的洗涤水,妥善处理。
	Handling and Storage 操作处置与储存	
Handling 操作		The battery may explode or cause burns, if disassembled, crushed or exposed to fire or high temperatures. Do not short or install with incorrect polarity. 拆解、挤压、直接放入火中或高温条件下,电池可能; 生爆炸和燃烧。禁止短路或将电池正负极错误的安装; 设备中。
Storage 储存		Store in a cool, dry, well-ventilated area away from incompatible substances. Store locked up. Keep out of the reach of children. 储藏于阴凉, 干燥, 通风处, 远离接触会发生反应的和料。存储锁定。放在儿童无法接触的地方。
Other Preca	autions	In case of rupture. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Use personal protection
其他要注意	的防范措施	equipment. 万一破裂。按照良好的工业卫生和安全规范进行操作 避免接触皮肤,眼睛或衣服。使用个人防护设备。
其他要注意 Section 8 ·	<i>的防范措施</i> - Exposure Controls/Pers 接触控制和个体防护	万一破裂。按照良好的工业卫生和安全规范进行操作 避免接触皮肤,眼睛或衣服。使用个人防护设备。
其他要注意 Section 8 ·	- Exposure Controls/Pers 接触控制和个体防护	万一破裂。按照良好的工业卫生和安全规范进行操作 避免接触皮肤,眼睛或衣服。使用个人防护设备。 sonal Protection Use adequate ventilation to keep airborne concentrations low. If used under conditions that generate particulates, the ACGIH TLV-TWA of 3mg/m³ respirable fraction (10mg/m³ total) should b observed. 保证空气流通使空气密度保持在低水平。如果在会生) 微粒的情况下使用,应仔细观察 3mg/m³ ACGIH
<i>其他要注意</i> Section 8 第八部分	- Exposure Controls/Pers 接触控制和个体防护	万一破裂。按照良好的工业卫生和安全规范进行操作 避免接触皮肤,眼睛或衣服。使用个人防护设备。 sonal Protection Use adequate ventilation to keep airborne concentrations low. If used under conditions that generate particulates, the ACGIH TLV-TWA of 3mg/m ³ respirable fraction (10mg/m ³ total) should b observed.

TCT 通		Material Safety Data Shee
	Ø	limits are exceeded or irritation is experienced, ventilation and evacuation may be required. 呼吸系统防护:正常使用条件下不需要防护设备。如 超过暴露限值或发生刺激,可能需要通风和疏散。
Section 9- Phys 第九部分理化	sical and Chemical P 時性	Properties
Physical State 物理状态	Appearance: Prismatic 外形: 棱柱形	
	Color: Black 颜色:黑色	(d)
	Odour: If leaking, smells o 气味:泄漏时, 医用乙醚的	
Change in conditio 变化的条件:	on:	
oH 酸碱度	Not applicable as supplied 不适用。	1. 77 Aur - 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.
Flash Point 闪点	Not applicable unless individual components exposed. 除非单个的组件暴露,否则不适用。	
Flammability 易燃度	Not applicable unless individual components exposed. 除非单个的组件暴露,否则不适用。	
Relative density: 相对密度	Not applicable unless individual components exposed. 除非单个的组件暴露,否则不适用。	
Solubility (water) 溶解性(水溶性)	Not applicable unless individual components exposed. 除非单个的组件暴露,否则不适用。	
Solubility (other) 溶解性(其他)	Not applicable unless individual components exposed. 除非单个的组件暴露,否则不适用。	
	ability and Reactivity	
第十部分 稳定性 Chemical Stability 化学稳定性		Stable under recommended storage conditions. 在推荐的储存条件下可以保持稳定。
Possibility of Haza 危险反应的可能性		None under normal processing. 正常处理下没有。
Conditions to Avo 应避免的条件		Exposure to air or moisture over prolonged periods. 暴露在空气中或长时间受潮。
Incompatible mate 不相容材料	erials	Acids, Oxidizing agents, Bases. 酸,氧化剂,碱。
	nposition Products	Carbon oxides.

	二氧化碳。
Section 11 – Toxicological Information 第十一部分 毒理学信息	
Irritation 刺激	In the event of exposure to internal contents, vapour fumes may be very irritating to the eyes and skin. 内部物质暴露的情况下, 蒸汽烟雾可能对眼睛和皮肤的刺激性。
Sensitization 致敏	Not Available. 不适用。
Reproductive Toxicity 再生毒性	Not Available. 不适用。
Toxicologically Synergistic Materials 协同材料毒理学	Not Available. 不适用。
Section 12-Ecological Information 第十二部分 生态学信息	Do not allow undiluted product or large quantities of to reach ground water, water course or sewage
General note: 通用信息 :	system. 不允许未稀释或大量的产品接触地下水、水道或污水处 理系统。
Anticipated behavior of a chemical product in environment/possible environmental impact/ ecotoxicity 化学产品在环境/可能的环境预期的行为的一	Not Available. 不适用。
种生态毒性	
Section 13 – Disposal Considerations 第十三部分 废弃处置	
Waste Treatment 废弃处置方法	Recycle or dispose of in accordance with government, state & local regulations. 建议遵照国家和地方法规处置或再利用。
Attention for Waste Treatment 废弃注意事项	Deserted batteries shouldn't be treated as ordinary trash. Shouldn't be thrown into fire or placed in high temperature. Shouldn't be dissected, pierced, crushed or treated similarly. Best disposal method is recycling. 废电池不能被当作普通垃圾。不能扔进火中或置于高 温下。不能解体,刺穿,破碎或类似的处理。最好的 处理办法是回收利用。

Section 14 – Transport In 第十四部分 运输信息	formation
UN number 联合国货物编号(UN 编号)	3480 & 3481
Proper shipping name 运输专用名称	Lithium ion batteries (limited to a maximum of 30% SoC) or; 锂离子电池(荷电状态不得超过其额定容量的 30%)或; Lithium ion batteries packed with equipment (including lithium ion polymer batteries) or; 与设备一起包装的锂离子电池(包括锂离子聚合物电池)或; Lithium ion batteries contained in equipments (including lithium ion polymer batteries). 包含在设备中的锂离子电池(包括锂离子聚合物电池)。
Label(s) / Placard Required 标签/标牌要求	Miscellaneous Lithium batt 杂项锂电池
connection with transport or c	rser needs to be aware of, or needs to comply with, in onveyance either within or outside their premises. 运输方式,用户都需要注意或遵守的特殊预防措施。
ICAO / IATA: 国际民间航空组织/国际航空运输协 会:	Can be shipped by air in accordance with International Civil Aviation Organization (ICAO), TI or International Air Transport Association (IATA), DGR Packing Instructions (PI) 965 Section IB, PI 966 Section and PI 967 Section II appropriate of IATA DGR 64 th (2023 Edition) for transportation. 货物可根据民用航空组织(ICAO), TI 或国际航空运输协会(IATA), DC 64 th (2023 版)包装说明(PI)965 Section IB, PI 966 Section II 和 PI 9 Section II 相关规定进行空运。
IMDG CODE: 国际海运危险货物规则:	The batteries are not restricted to IMDG Code 2020 Edition (Amdt 40-20) according to special provision 188. 根据特殊规定 188,该电池不受 IMDG Code 2020版(Amdt 40-20)] 制。
DOT: 美国运输部:	Other requirements for the US Department of Transportation (DOT) Subchapter C, Hazardous Materials Regulations if shipped in compliance with 49 CFR 173.185. 美国运输部 (DOT) 有害物质规则 C 分章中的其他规定,运输符合要3 49 CFR 173.185。
ADR/ ADN: 欧洲国际陆运危险货物协定/关于内 陆水道国际运输危险货物的欧洲协 定:	The batteries are not subject to the provisions of United Nations Economic Commission for Europe (UNECE) ADR/ADN if they meet th requirements of special provision 188 of Chapter 3.3. Applicable as fro 1 January 2023. 自 2023 年 1 月 1 日起适用于联合国欧洲经济委员会(UNECE)ADR ADN,如果电池符合第 3.3 章第 188 条的特殊要求,则电池不受限制。
tests set out in Subsection 38.3 of th	ort each lithium cell and battery types must have passed the applicable ne UN Manual of Tests and Criteria. 通过联合国《关于危险货物运输的建议书 试验和标准手册》第 38.3 节;

Section 15 – Regulatory Information 第十五部分 法规信息

Dangerous Goods Regulations

TCT 通测检测 TESTING CENTRE TECHNOLOGY

《危险物品规则》

Recommendations on the Transport of Dangerous Goods-Model Regulations (22nd revised edition)

联合国《关于危险货物运输的建议书规章范本》(22nd修订版)

Recommendations on the Transport of Dangerous Goods-Manual of Tests and Criteria

联合国《关于危险货物运输的建议书 试验和标准手册》

International Air Transport Association (IATA)

《国际航空运输协会》(IATA)

International Maritime Dangerous Goods (IMDG Code 2020 Edition Amdt 40-20)

《国际海运危险货物规则》(IMDG Code 2020 版 Amdt 40-20)

Technical Instructions for the Safe Transport of Dangerous Goods

《危险货物安全运输技术指南》

Classification and code of dangerous goods (GB 6944-2012)

《危险货物分类和品名编号》-GB 6944-2012

2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

2012《职业安全与健康标准》危险通信标准(29 CFR 1910.1200)

Toxic Substance Control Act (TSCA)

《有毒物质控制法》(TSCA)

Code of Federal Regulations

《联邦条例》

In accordance with all Federal, State and local laws

符合所有联邦、州和地方法律

Section 16 – Additional Information 第十六部分 其他信息

TCT 通测检测 TESTING CENTRE TECHNOLOGY

MSDS creation date: 2023 Version: 1.0

Sample photo 样品照片:



To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

本份 MSDS 中的信息只是基于我们当前所拥有的相关材料的信息而编制的,只是为了描述本品的健康、安全与 环境需求,以使各有关方面能更好地了解和信任本产品。这些信息只是提供给您,以供考虑、研究和确认。其 中的一些危害预防措施描述并非是唯一的。所以本份 MSDS 不能作为使用本品实现任何特定目的的保证。各有 关使用者有责任预先完成本品的安全性及其他方面的测试,以评判其是否满足您的使用目的。

The data/information contained herein has been reviewed and approved for general release on the basis that this document contains no export controlled information.

本文所包含的数据/信息已经过审核和批准,但本文档不包含出口管制信息。

******End of report****** ******报告结束******

Shenzhen TCT Testing Technology Co., Ltd. 深圳市通测检测技术有限公司

2101 & 2201, Zhenchang Factory, Renshan Industrial Zone, Fuhai Subdistrict, Bao'an District, Shenzhen, Guangdong, China

广东省深圳市宝安区福海街道桥头社区稔山工业区振昌胶粘制品厂 2101、2201 Report Search Number 报告查询编号: TCT230627M008 Search System 查询系统: <u>http://www.tct-lab.com</u> F

Page 10 of 10 第 10 页共 10 页