

材料安全数据表

Material Safety Data Sheet

报告编号 Report No.....:	SP2508010L02	
签发日期 Issue Date.....:	2025-09-03	
总页数 Total pages.....:	8	
委托单位 Applicant.....:	深圳市恩智胜科技有限公司 / Shenzhen usbangel Technology Limited	
委托单位地址 Address of Applicant.....:	深圳市龙岗区坪地街道坪东社区鸿源路28号402、502、602 / 402, 502, 602, No.28 Hongyuan Road, Pingdong Community, Pingdi Sub-District, Longgang District, Shenzhen,Guangdong P.R.China	
生产厂家 Manufacturer.....:	深圳市恩智胜科技有限公司 / Shenzhen usbangel Technology Limited	
生产厂家地址 Manufacturer Address.....:	深圳市龙岗区坪地街道坪东社区鸿源路28号402、502、602 / 402, 502, 602, No.28 Hongyuan Road, Pingdong Community, Pingdi Sub-District, Longgang District, Shenzhen,Guangdong P.R.China	
测试实验室 Test laboratory.....:	东莞市普标检测技术有限公司 / Dongguan Pubiao Testing Technology Co., Ltd.	
实验室地址 Laboratory Address.....:	东莞市石碣镇涌口村田心街83号1楼 / 1F, No. 83, Tianxin Street, Chongkou village, Shijie Town, Dongguan City, Guangdong, China	
测试方法 Test specification	EEC Directive 93/112/EC	
测试标准 Testing standard.....:	联合国《关于危险品货物运输的建议书》 UN "Recommendations on the TRANSPORT OF DANGEROUS GOODS"	
鉴定结论 Conclusion.....:	评估结果为合格 The assessment results are qualified.	
主检员 Test By	审核 Check By	批准 Approved By
		
龙见/测试工程师 Roy.Long/Test Engineer	严桂林/ 经理 Lisa.Yan/ Manager	刘秀善 / 总监 Eric.Liu / Director

* 这份材料安全数据表是根据客户提供的信息编辑, 其内容和格式按客户要求来修订。
The MSDS is prepared based on the information provided by client. The contents and formats of this MSDS are revised as per client's request.

Section 1-Chemical Product and Company Identification

第一部分-化学品及企业标识

产品名称 Product name	移动电源 Power Bank
型号规格 Model/Type	UPB1053 Battery Capacity:10000mAh/38.5Wh
紧急联系电话 Emergency telephone call	18098922009

2. Composition/Information on Ingredient (成分/组成信息)

Hazardous Ingredients (Chemical Name)	Concentration or concentration ranges (%)	CAS Number
Lithium Cobaltate 钴酸锂	15-40	12190-79-3
Graphite 石墨	10-30	7782-42-5
Lithium hexafluorophosphate 六氟磷酸锂	10-30	21324-40-3
Copper 铜	7-13	7440-50-8
Aluminum 铝	5-10	7429-90-5
Nickel 镍	1-5	7440-02-0

3. Hazards Identification (主要危险性鉴定)

爆炸危险性 Explosive risk	该物品不属于爆炸危险品 This article does not belong to the explosion dangerous goods
易燃危险性 Flammable risk	该物品不属于易燃危险品 This article does not belong to the flammable material
氧化危险性 Oxidation risk	该物品不属于氧化危险品 This article does not belong to the oxidation of dangerous goods
毒害危险性 Toxic risk	该物品不属于毒害危险品 This article does not belong to the toxic dangerous goods
放射危险性 Radioactive risk	该物品不属于放射危险品 This article does not belong to the radiation of dangerous goods
腐蚀危险性 Mordant risk	该物品不属于腐蚀危险品 This article does not belong to the corrosion of dangerous goods
其他危险性 other risk	该物品为移动电源, 瓦时率为38.5Wh This article is Power Bank, Watt hour rate 38.5Wh

4. First aid measures (急救措施)

Eye contact	Flush eyes with plenty of water for least 15 minutes, occasionally lifting the
-------------	--

眼睛接触	upper and lower eyelids. Get medical aid. 万一接触, 立即用大量的清水冲洗至少15分钟, 翻起上下眼睑, 直到化学的残留物消失为止, 迅速就医。
Skin contact 皮肤接触	Remove contaminated clothes and rinse skin with plenty of water or shower for 15 minutes. Get medical aid. 万一接触, 用大量的水冲洗至少15分钟, 同时除去污染的衣物和鞋子, 迅速就医。
Inhalation 吸入	Remove from exposure and move to fresh air immediately. Use oxygen if available. 立即从暴露处移至空气清新处, 如果呼吸困难给予输氧, 立即就医。
Ingestion 摄入	Give at least 2 glasses of milk or water. Induce vomiting unless patient is unconscious. Call a physician. 饮用两杯牛奶或水, 如果当事人仍然清晰可以采取催吐的方法, 并且立即就医。

5. Fire-fighting measures (消防措施)

Flash Point 燃点	N/A 不适用
Auto-Ignition Temperature 自燃温度	N/A 不适用
Extinguishing Media 灭火介质	H ₂ O, CO ₂ 水, 二氧化碳
Special Fire-Fighting Procedures 特殊灭火程序	Self-contained breathing apparatus 自给式呼吸器
Unusual Fire and Explosion Hazards 异常火灾或爆炸	Cell may vent when subjected to excessive heat-exposing battery contents 当电芯暴露于过热的环境中时, 安全阀可能会打开
Hazardous Combustion Products 燃烧产生的危险物品	Carbon monoxide, carbon dioxide, lithium oxide fumes. 一氧化碳, 二氧化碳, 锂氧化物烟气

6. Accidental release measures (泄漏应急处理)

Personal precautions, protective equipment and emergency procedures:

If the battery is released, remove personnel from area until fumes dissipate. Provide maximum ventilation to clear out hazardous gases. The preferred response is to leave the area and allow the vapors to dissipate, Avoid skin and eyes contact or inhalation of vapors. Remove spilled liquid with absorbent and incinerated. If leakage of the battery happens, liquid could be absorbed by using sand, earth or other inert substance and contaminated area should be ventilated meantime.

个人预防措施、保护设备和应急程序:

如果电池被泄露, 让人员离开该区域直到烟雾消散。提供最大限度的通风, 清除有害气体。首选的反应就是离开这个地区并消散气体, 避免皮肤和眼睛接触或吸入气体。用吸收剂清除溢出的液体然后焚烧。如果电池泄漏发生时, 液体可以用砂、泥土或其他惰性物质来吸收, 污染区域应该保持通风。

Environment precautions:

Do not allow product to reach sewage system or any water source.
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.

环境预防措施:

不允许产品到达排水系统或任何水源。
如果渗透进排水系统或任何水源, 通知相应的部门。
不允许进入下水道/表面或地下水。

Methods and material for containment and cleaning up:

If battery casing is dismantled, small amounts of electrolyte may leak. Collect all released material in a plastic lined container. Dispose off according to the local law and rules, Avoid leached substances to get into the earth, canalization or waters.

抑制和清理材料的方法:

如果电池外壳被拆除, 少量电解液可能会泄漏。收集所有材料放进一个塑料容器。根据当地的法律法规来处置, 避免可溶物质进入大地、下水道或水源。

7. Handling and storage (操作处置和储存)	
Handling 操作处置	The battery should not be opened, destroyed or incinerate, since they may leak or rupture and release to the environment the ingredients that they contain in the hermetically sealed container. Do not short circuit terminals, or over charge the battery, forced over-discharge, throw to fire. Do not crush or puncture the battery, or immerse in liquids. 禁止打开、毁坏或焚烧电池, 因为电池有可能在这些处理过程中发生爆炸、破裂或泄露等事故。 禁止将电池短路、过充、强制放电或扔入火中。 禁止挤压或刺穿电池, 或将电池浸入溶液中。
Storage 储存	Avoid mechanical or electrical abuse. Storage preferably in cool, dry and ventilated area, which is subject to little temperature change. Storage at high temperatures should be avoided. Do not place the battery near heating equipment, nor expose to direct sunlight for long periods. 禁止物理或电滥用, 禁止高温储存, 最好将电池储存在阴凉、干燥、通风及温度变化较小的环境中。 禁止将电池接触加热设备, 或将电池长时间直接暴露在阳光中。
Other Precautions 其他要注意的防范措施	The battery may explode or cause burns, if disassembled, crushed or exposed to fire or high temperatures. Do not short or install with incorrect polarity. 拆解、挤压、直接放入火中或高温条件下, 电池可能发生爆炸和燃烧。 禁止短接或将电池正负极错误的安装在设备中。
8. Exposure controls/personal protection (接触控制/个人防护)	
Engineering Controls 设计控制	Use local exhaust ventilation or other engineering controls to control sources of dust, mist, fumes and vapor. Keep away from heat and open flame. Store in a cool, dry place. 设计局部排气通风或其它设计来控制粉尘、雾、烟雾和气体。
Personal Protective Equipment 个人防护装备	Respiratory Protection: Not necessary under normal conditions. Skin and body Protection: Not necessary under normal conditions, Wear suitable protective clothing and gloves if handling an open or leaking battery. Hand protection: Wear suitable gloves if handling an open or leaking battery. Eye Protection: Not necessary under normal conditions, Wear safety glasses if handling an open or leaking battery. 呼吸防护: 在正常情况下不需要。 皮肤和身体防护: 在正常情况下不需要, 如果处理一个裂开的或泄漏的电池需要穿戴适当的防护服和手套。 手保护: 如果处理一个裂开的或泄漏的电池需要戴适当手套。 眼睛保护: 在正常情况下不需要, 如果处理一个裂开的或泄漏的电池需要戴上安全眼镜。
Other Protective Equipment 其它防护装备	Have a safety shower and eye wash fountain readily available in the immediate work area. 在工作区域应该有一个立即可以使用的安全淋浴和喷水洗眼器。
Hygiene Measures 卫生措施	Do not eat, drink, or smoke in work area. Maintain good housekeeping. 在工作区域不得进食, 饮水或吸烟。
9. Physical and chemical properties (物理和化学特性)	
Form 形态	Solid 固体
Color 颜色	Green 绿色
Odour 气味	N/A 不适用
pH 酸碱度	N/A 不适用
Melting point/freezing point 熔点/凝固点	N/A 不适用
Boiling Point and Boiling	N/A

range 沸点、沸点范围:	不适用
Flash Point 易燃度	N/A 不适用
Upper/lower flammability or explosive limits 自燃或爆炸的上、下极限	N/A 不适用
Vapor Pressure 蒸汽压	N/A 不适用
Vapor Density 蒸汽密度	N/A 不适用
Relative density 相对密度	N/A 不适用
Solubility in Water 水溶性	N/A 不适用
Auto-ignition temperature 自燃温度	N/A 不适用
Decomposition temperature 分解温度	N/A 不适用
Evaporation rate 蒸发速率	N/A 不适用
Flammability (soil, gas) 易燃性(土壤、天然气)	N/A 不适用
Viscosity 粘性	N/A 不适用
10. Stability and reactivity (稳定性和反应活性)	
Stability 稳定性	The product is stable under conditions described Section 7 产品在第七部分所述的条件下稳定
Conditions to Avoid 应避免的条件	Heat above 70°C or incinerate. Deform, Mutilate, Crush, Disassemble, Overcharge, Short circuit, Expose over a long period to humid conditions. 加热 70°C 以上或焚烧、变形、毁坏、粉碎、拆卸、过充电、短路, 长时间暴露在潮湿的条件下。
Incompatible Materials 不兼容的材料	Oxidizing agents, acid, base. 氧化剂, 酸, 碱。
Hazardous Decomposition Products 危险分解物	Carbon monoxide, carbon dioxide, lithium oxide fumes. 一氧化碳、二氧化碳、氧化锂烟雾。
Possibility of Hazardous Reaction 危险反应的可能性	N/A 不适用
11. Toxicological information (毒理性资料)	
Irritation 刺激	Risk of irritation occurs only if the cell is mechanically, thermally or electrically abused to the point of compromising the enclosure. If this occurs, irritation to the skin, eyes and respiratory tract may occur. 如果电芯的外壳受到机械、热或电的滥用到达一定程度, 会发生刺激的风险。如果发生这种情况, 可能会刺激皮肤、眼睛和呼吸道。
Sensitization 致过敏	N/A 不适用
Neurological Effects 影响神经系统	N/A 不适用
Teratogenicity 致畸	N/A 不适用
Reproductive Toxicity 再生毒性	N/A 不适用
Mutagenicity (Genetic Effects)	N/A 不适用

诱变(遗传效应)	
Toxicologically Synergistic Materials 附带材料毒理性	N/A 不适用
12. Ecological information (生态学资料)	
Ecological Toxicity 生态毒性	N/A 不适用
Mobility in soil 在土壤中的流动性	N/A 不适用
Persistence and Degradability 持久性和分解性	N/A 不适用
Bioaccumulation potential 生物累积	N/A 不适用
Other Adverse Effects 其他不利影响	N/A 不适用
13. Disposal consideration (废弃处理)	
Product disposal recommendation 产品废弃处理建议	Observe local, state and federal laws and regulations. 遵守当地、州和联邦法律和法规。
Packaging disposal recommendation 包装处理建议	Disposal must be made according to official regulations 废弃处理必须根据当地法规
14. Transport Information (运输信息)	
Label for conveyance 运输标签	锂离子电池标签 Lithium-ion battery label
UN Number UN编号	N/A 不适用
Transport hazard class(es) 运输风险类别	UN 3480/3481 UN 3480/3481
Packing group 包装等级	N/A 不适用
Marine pollutant 海洋污染物	No 无污染
UN Proper shipping name 联合国运输专用名称	Lithium ion batteries 锂离子电池
Transport information: This goods shall be considered Restricted Goods and Can be shipped by air in accordance with international Civil Aviation Organization (ICAO), TI or International Air Transport Association (IATA) DGR 66 th Packing Instructions Section IB of 965 or Section II of 966~967 appropriately.or IMDG CODE (Amdt. 41-22). Packagings must meet Packing Group II performance standard. The international Civil Aviation Organization (ICAO) Technical Instructions. The international Air transport Association (IATA) Dangerous Goods Regulations. Transport Fashion: By air, by sea, by railway, by road. 该货物应该被当做限制性物品, 可根据国际民用航空组织(ICAO), TI或国际航空运输协会(IATA) DGR 66 th 包装说明965第IB节规定或966~967第II节规定进行空运和海运危险货物规则 (Amdt. 41-22) . 包装必须达到II级包装的性能标准。 国际民用航空组织(ICAO)技术细则。 国际航空运输协会(IATA)危险物品规则。 运输方式: 空运, 海运, 铁路, 公路。	
15. Regulatory information (法规信息)	
Law information 法律信息 《Dangerous Goods Regulations》 《危险物品规则》 《Recommendation on the Transport of Dangerous Goods Model Regulations》	

《对危险货物运输的有关规定的建议》
《International Maritime Dangerous Goods》
《国际海运危险货物规则》
《Technical Instructions for the Safe Transport of Dangerous Goods》
《危险品安全运输技术指令》
《Classification and code of dangerous Goods》
《危险货物分类和品名编号》
《Consumer Product Safety Act》(CPSA)
《消费产品安全法》
《Federal Environmental Pollution Control Act》(FEPCA)
《联邦环境污染控制法》
《Resource Conservation and Recovery Act》(RCRA)
《资源保护及恢复法案》
《European Agreement concerning the International Carriage of Dangerous》
《国际危险货物道路运输欧洲协定》
《Regulations concerning the International Carriage of Dangerous》
《国际危险货物铁路运输欧洲协定》
In according with all Federal, State and local laws.
根据所有联邦、州和地方法律。

16. Other Information (其它信息)

The information above is believed to be accurate and represents the best information currently available to us. However, concorde makes no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. Although reasonable precautions have been taken in the preparation of the data contained herein, it is offered solely for your information, consideration and investigation. This material safety data sheet provides guidelines for the safe handling and use of this product; it does not and cannot advise on all possible situations, therefore, your specific use of this product should be evaluated to determine if additional precautions are required.

上面的信息被认为是准确代表了目前最好的信息提供给我们。然而,飞机没有对商品性能保证或任何其他保证,包括明示或暗示,对这类信息的使用我们不承担责任。用户应作出自己的调查,以确定是否适合其特定用途的信息。虽然在此处所包含的数据的准备已经采取了合理的预防措施,这是仅为你提供的信息、考虑和调查。这个化学品安全技术说明书为本产品提供了安全操作指南和使用指南,它并不能对所有可能发生的情况提供建议,因此,您特殊使用该产品应先进行评估,以确定是否需要额外的预防措施。

产品照片 Photos of Sample



Figure 1 产品外部照片 External view of unit




Figure 2 产品外部照片 External view of unit

注意事项

Important Notice

1. 报告无主检、审核、批准人签名、“检测报告专用章”或检验单位公章无效。

The report is invalid without the signature of the principal inspector, auditor and approved, or "special seal for test report" or official seal of inspection unit..

2. 报告如有涂改或页码缺失则无效。

Reports with corrections or missing page numbers are invalid.

3. 未经实验室批准不得部分复制报告

Partial reproduction of the report shall not be permitted without laboratory approval.

4. 对检验报告若有异议，应于收到报告之日起十五日内向检验单位提出，过期不予受理。

Any objection to the inspection report shall be submitted to the inspection unit within 15 days from the date of receipt of the report.

5. 本材料安全数据表仅在本年度内有效。

This Material Safety Data Sheet is only valid within the year.

东莞市普标检测技术有限公司

Dongguan Pubiao Testing Technology Co., Ltd.

地 址：广东省东莞市石碣镇涌口村田心街83号1楼

Address: 1F, No. 83, Tianxin Street, Chongkou village, Shijie Town, Dongguan City, Guangdong, China .

电话总机：+86 769-8181 3516 公司网站：www.pubiaotest.com